



中国国家强制性产品认证证书

证书编号: 2021012313369935

发证日期: 2023年03月30日
有效期至: 2026年02月10日

认证委托人名称 胡默尔股份公司
及注册地址 德国, 登茨林根 (79211), 莉丝·迈特纳大街 2 号

产品生产者名称 胡默尔股份公司
及注册地址 德国, 登茨林根 (79211), 莉丝·迈特纳大街 2 号

生产企业名称 胡默尔股份公司
及生产地址 德国, 登茨林根 (79211), 莉丝·迈特纳大街 2 号

产品名称和系列、规格、型号 螺纹变径件
型号: RSD-□-Ex □; 防爆标志: Ex eb IIC Gb; Ex ta IIIC Da; 可代表螺纹规格及相关文件编号详见附件。

产品标准和
技术要求 GB/T 3836.1-2021;GB/T 3836.3-2021;GB/T 3836.31-2021

上述产品符合 CNCA-C23-01:2019 认证规则的要求, 特发此证。
证书有效期内本证书的有效性依据发证机构的定期监督获得保持。
本证书为变更证书, 证书首次颁发日期: 2021 年 02 月 10 日

可通过扫描下方二维码或登录国家认监委网站 (www.cnca.gov.cn) 查验证书信息



签发:

谢肇煦



中国质量认证中心





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2021012313369935

Valid from: Mar.30,2023

Valid until: Feb.10,2026

NAME AND REGISTERED ADDRESS OF THE APPLICANT HUMMEL AG
Lise-Meitner-Strasse 2, 79211 Denzlingen, Germany

NAME AND REGISTERED ADDRESS OF THE MANUFACTURER HUMMEL AG
Lise-Meitner-Strasse 2, 79211 Denzlingen, Germany

NAME AND LOCATION OF THE FACTORY HUMMEL AG
Lise-Meitner-Strasse 2, 79211 Denzlingen, Germany

PRODUCT MODEL(S) Thread adapter
Type of Product: RSD-□-Ex □; Marking: Ex eb IIC Gb; Ex ta IIIC Da; The thread specification and related document numbers can be seen in the appendix.

STANDARDS AND TECHNICAL REQUIREMENTS GB/T 3836.1-2021;GB/T 3836.3-2021;GB/T 3836.31-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C23-01:2019)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: Feb.10,2021

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE





中国国家强制性产品认证证书

证书编号: 2021012313369935

第 1 页 / 共 3 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3187637

1.总装配图纸号及可代表螺纹规格:

序号	产品型号	防爆标志	规格/电气参数	外壳防护等级	总装配图
1	RSD-MS-Ex □	Ex eb IIC Gb, Ex ta IIIC Da	M16×1.5-M12×1.5/M20×1.5-M12×1.5/ M20×1.5-M16×1.5/ M25×1.5-M16×1.5/ M25×1.5-M20×1.5/ M32×1.5-M16×1.5/ M32×1.5-M20×1.5/ M32×1.5-M25×1.5/ M40×1.5-M20×1.5/ M40×1.5-M25×1.5/ M40×1.5-M32×1.5/ M50×1.5-M25×1.5/ M50×1.5-M32×1.5/ M50×1.5-M40×1.5/ M63×1.5-M32×1.5/ M63×1.5-M40×1.5/ M63×1.5-M50×1.5	IP66/IP68	PROFILEID80425
			Pg9-Pg7;Pg11-Pg7;Pg11-Pg9; Pg13.5-Pg9;Pg13.5-Pg11;Pg16-Pg9; Pg16-Pg11;Pg16-Pg13.5; Pg21-Pg11;Pg21-Pg13.5; Pg21-Pg16;Pg29-Pg16; Pg29-Pg21;Pg36-Pg21;Pg36-Pg29; Pg42-Pg29; Pg42-Pg36;Pg48-Pg36;Pg48-Pg42;		
2	RSD-INOX-Ex □		M16×1.5-M12×1.5/M20×1.5-M12×1.5/ M20×1.5-M16×1.5/ M25×1.5-M16×1.5/ M25×1.5-M20×1.5/ M32×1.5-M16×1.5/ M32×1.5-M20×1.5/ M32×1.5-M25×1.5/ M40×1.5-M20×1.5/ M40×1.5-M25×1.5/ M40×1.5-M32×1.5/ M50×1.5-M25×1.5/ M50×1.5-M32×1.5/ M50×1.5-M40×1.5/ M63×1.5-M32×1.5/ M63×1.5-M40×1.5/ M63×1.5-M50×1.5		
			Pg9-Pg7;Pg11-Pg7;Pg11-Pg9;Pg13.5-Pg9; Pg13.5-Pg11;Pg16-Pg9;Pg16-Pg11;Pg16-		



中国质量认证中心





中国国家强制性产品认证证书

证书编号: 2021012313369935

第 2 页 / 共 3 页

本证书及附件应同时使用, 信息查验说明见证书页

纸号: 3187637

			Pg13.5;Pg21-Pg11;Pg21-Pg13.5;Pg21-Pg16;Pg29-Pg16; Pg29-Pg21;Pg36-Pg21;Pg36-Pg29;Pg42-Pg29; Pg42-Pg36;Pg48-Pg36;Pg48-Pg42;		
3	RSD-MF-Ex □		M16×1.5-M12×1.5		1078161250-MT F



中国质量认证中心





中国国家强制性产品认证证书


证书编号：2021012313369935

第 3 页 / 共 3 页

本证书及附件应同时使用，信息查验说明见证书页

纸号：3187637

3. 型号解释：



4. 使用环境温度： -20°C ~ +95°C (使用 NBR 材质 O 型圈);
-60°C ~ +180°C (使用 VMQ 材质 O 型圈/平垫)。

5. 产品结构以认证机构批准的图纸为准。



中国质量认证中心

