

Translation, original language: German

CERTIFICATE

(1) EU-Type Examination

(2) **Equipment or protective systems intended for use in potentially explosive atmospheres - Directive 2014/34/EU**

(3) EU-Type Examination Certificate Number: **DEKRA 12ATEX0139 X** Issue Number: **3**

(4) Product: **Cable Gland, Series EXIOS A2F**

(5) Manufacturer: **Hummel AG**

(6) Address: **Lise-Meitner-Straße 2, 79211 Denzlingen, Germany**

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., Notified Body number 0344 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential test report number NL/DEK/ExTR12.0032/02.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

EN 60079-0 : 2012 + A11

EN 60079-1 : 2014

EN 60079-7 : 2015

EN 60079-31 : 2014

except in respect of those requirements listed at item 18 of the Schedule.

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the product shall include the following:



II 2 G Ex db eb IIC Gb
II 1 D Ex ta IIIC Da

Date of certification: 19 July 2017

DEKRA Certification B.V.

T. Pijpker
Certification Manager

Page 1/2



© Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.

(13) **SCHEDULE**

(14) **to EU-Type Examination Certificate DEKRA 12ATEX0139 X**

Issue No. **3**

(15) **Description**

Cable Gland, Series EXIOS A2F, made of brass, nickel plated brass or stainless steel, for use with effectively filled circular non-armoured or braided cables.
Available thread sizes are M16 to M90 and 3/8" to 3" NPT.

Operating temperature range -60 °C to +105 °C.

The cable gland provides a degree of ingress protection of IP66/68 (0,5 MPa (5 bar) for 30 min.) in accordance with EN 60079-0 and EN 60529.

Installation instructions

The instructions provided with the product shall be followed in detail to assure safe operation.

(16) **Report Number**

No. NL/DEK/ExTR12.0032/02.

(17) **Specific conditions of use**

- The cable glands are tested with a reduced tensile force (25 %) in accordance with clause A.2.3.2 of EN 60079-0 and shall only be used for fixed installation. The user shall ensure adequate clamping of the cable.
- The cable glands are provided with a sealing ring with a minimum axial sealing height of 5 mm.
- The installer shall ensure that, taking into account the presence of an undercut, at least five full threads are in engagement when the cable glands are assembled onto the flameproof enclosure.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at item (9).

(19) **Test documentation**

As listed in Report No. NL/DEK/ExTR12.0032/02.

(20) **Certificate history**

Issue 0 -	215435000	initial certificate
Issue 1 -	217933400	applied standards upgrade
Issue 2 -	221754600	applied standards upgrade